

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8B: Judson-----	100	Not limited		Not limited		Not limited	
11B: Colo-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Ely-----	30	Not limited		Not limited		Not limited	
41B: Sparta-----	100	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.06
41C: Sparta-----	100	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Not limited	
41E: Sparta-----	100	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope	0.96
63B: Chelsea-----	100	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.41
63C: Chelsea-----	100	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.41
63E: Chelsea-----	100	Somewhat limited Too sandy Slope	0.95 0.01	Somewhat limited Too sandy	0.95	Very limited Slope Droughty	1.00 0.41
65D2: Lindley-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
65E2: Lindley-----	95	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
65F2: Lindley-----	95	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
83B: Kenyon-----	95	Not limited		Not limited		Not limited	
83C: Kenyon-----	100	Not limited		Not limited		Not limited	
83C2: Kenyon-----	100	Not limited		Not limited		Not limited	
88: Nevin-----	95	Not limited		Not limited		Not limited	
110C: Lamont-----	100	Not limited		Not limited		Not limited	
110E: Lamont-----	100	Not limited		Not limited		Very limited Slope	0.96
118: Garwin-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
119: Muscatine-----	95	Not limited		Not limited		Not limited	
119B: Muscatine-----	95	Not limited		Not limited		Not limited	
120: Tama-----	100	Not limited		Not limited		Not limited	
120B: Tama-----	100	Not limited		Not limited		Not limited	
120C: Tama-----	100	Not limited		Not limited		Not limited	
120C2: Tama-----	100	Not limited		Not limited		Not limited	
120D2: Tama-----	100	Not limited		Not limited		Somewhat limited Slope	0.63

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
121: Tama Variant-----	100	Not limited		Not limited		Not limited	
122: Sperry-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
133: Colo-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
133+: Colo-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
143: Brady-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
160: Walford-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
162B: Downs-----	100	Not limited		Not limited		Not limited	
162C: Downs-----	100	Not limited		Not limited		Not limited	
162C2: Downs-----	100	Not limited		Not limited		Not limited	
162D2: Downs-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
163B: Fayette-----	100	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
163C: Fayette-----	100	Not limited		Not limited		Not limited	
163C2: Fayette-----	100	Not limited		Not limited		Not limited	
163D: Fayette-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
163D2: Fayette-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
163D3: Fayette-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
163E: Fayette-----	100	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
163E3: Fayette-----	100	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
163F: Fayette-----	95	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
163F2: Fayette-----	95	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
163G: Fayette-----	95	Very limited Slope	1.00	Somewhat limited Slope	0.56	Very limited Slope	1.00
171B: Bassett-----	95	Not limited		Not limited		Not limited	
171C2: Bassett-----	95	Not limited		Not limited		Not limited	
171D2: Bassett-----	95	Not limited		Not limited		Somewhat limited Slope	0.63

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
175B: Dickinson-----	100	Not limited		Not limited		Not limited	
175C: Dickinson-----	100	Not limited		Not limited		Not limited	
177: Saude-----	100	Not limited		Not limited		Not limited	
184: Klinger-----	95	Not limited		Not limited		Not limited	
212: Kennebec-----	90	Not limited		Not limited		Somewhat limited Flooding	0.60
214D: Rockton-----	95	Not limited		Not limited		Somewhat limited Depth to bedrock Slope	0.46 0.16
220: Nodaway-----	90	Not limited		Not limited		Somewhat limited Flooding	0.60
221: Palms-----	100	Very limited Depth to saturated zone Content of organic matter	1.00 1.00	Very limited Depth to saturated zone Content of organic matter	1.00 1.00	Very limited Depth to saturated zone Content of organic matter	1.00 1.00
291: Atterberry-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
291B: Atterberry-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
293C: Chelsea-----	40	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.41
Fayette-----	30	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails	Value	Off-road motorcycle trails	Value	Golf fairways	Value
		Rating class and limiting features		Rating class and limiting features		Rating class and limiting features	
Lamont-----	30	Not limited		Not limited		Not limited	
293E: Chelsea-----	40	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Droughty	0.96 0.41
Fayette-----	30	Not limited		Not limited		Very limited Slope	0.96
Lamont-----	30	Not limited		Not limited		Very limited Slope	0.96
293F: Chelsea-----	40	Very limited Slope Too sandy	1.00 0.95	Somewhat limited Too sandy Slope	0.95 0.14	Very limited Slope Droughty	1.00 0.41
Fayette-----	30	Very limited Slope	1.00	Somewhat limited Slope	0.14	Very limited Slope	1.00
Lamont-----	30	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
315: Loamy Alluvial Land-	40	Not rated		Not rated		Not rated	
Spillville-----	30	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
320: Arenzville-----	95	Not limited		Not limited		Somewhat limited Flooding	0.60
350B: Waukegan-----	100	Not limited		Not limited		Not limited	
350C: Waukegan-----	100	Not limited		Not limited		Not limited	
352B: Whittier-----	100	Not limited		Not limited		Not limited	
352C2: Whittier-----	100	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
354: Marsh-----	90	Not rated		Not rated		Not rated	
377B: Dinsdale-----	100	Not limited		Not limited		Not limited	
377C: Dinsdale-----	100	Not limited		Not limited		Not limited	
377C2: Dinsdale-----	100	Not limited		Not limited		Not limited	
382: Maxfield-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
412E: Sogn-----	100	Not limited		Not limited		Very limited Depth to bedrock Slope Droughty Content of large stones	1.00 0.96 0.92 0.01
420B: Tama-----	100	Not limited		Not limited		Not limited	
428B: Ely-----	90	Not limited		Not limited		Not limited	
442C: Dickinson-----	50	Not limited		Not limited		Not limited	
Tama-----	30	Not limited		Not limited		Not limited	
462B: Downs-----	100	Not limited		Not limited		Not limited	
463B: Fayette-----	100	Not limited		Not limited		Not limited	
467: Radford-----	95	Somewhat limited		Somewhat limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Flooding	0.40	Flooding	0.40	Flooding Depth to saturated zone	1.00 0.19
478G: Rock Outcrop-----	50	Not rated		Not rated		Not rated	
Sogn-----	30	Not limited		Not limited		Very limited Depth to bedrock Slope Droughty Content of large stones	1.00 0.96 0.92 0.01
485: Spillville-----	90	Not limited		Not limited		Somewhat limited Flooding	0.60
536: Hanlon-----	90	Not limited		Not limited		Somewhat limited Flooding	0.60
729B: Nodaway-----	60	Not limited		Not limited		Somewhat limited Flooding	0.60
Arenzville-----	30	Not limited		Not limited		Somewhat limited Flooding	0.60
760: Ansgar-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
761: Franklin-----	95	Not limited		Not limited		Not limited	
771B: Waubeek-----	95	Not limited		Not limited		Not limited	
933: Sawmill-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Cedar County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Flooding	0.60
977: Richwood-----	100	Not limited		Not limited		Not limited	
1119: Muscatine-----	95	Not limited		Not limited		Not limited	
1133: Colo-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Flooding	0.40	Flooding	0.40	Depth to saturated zone	1.00
1160: Walford-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1220: Nodaway-----	90	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
1291: Atterberry-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19